



TYLER FIRE EQUIPMENT, LLC
PO BOX 4037 – ELMIRA, NY 14904-0037
PHONE (800) 352-2079 (NY&PA) OR
(607) 734-1081
FAX (607) 734-1951

QUOTATION

TO: Moyers Corners Fire Department		DATE	Salesperson
7697 Morgan Road		8-5-11	001
Liverpool, New York			
13090			
EST. SHIP DATE	SHIPPED VIA	F.O.B.	TERMS
30-days ARO chassis	Customer Pick Up	Syracuse Facility	NET 15
QUANTITY	DESCRIPTION	PRICE	AMOUNT
One (1)	2012 Ford chassis as per attached quote from Don's Ford Inc. with KUV Body W3G/W3H	\$47,372.19	\$47,372.19
One (1)	Upgrades per attached list	\$19,952.00	\$19,952.00
	SUB-TOTAL	\$67,324.19	\$67,324.19
Options:			
1	Whelen TAL-65 Directional Light upper rear	\$1,110.00	\$1,110.00
2	Under Cab & Body perimeter lights (LED)	\$775.00	\$775.00
3	FRC SPA530 12-volt LED push up Pole lights One each side at front of body– switched in cab	\$3,790.00	\$3,790.00
4	Undercoating Process	\$500.00	\$500.00
5	Fiberglass Body in place of steel	No Bid	No Bid
6	Upgrade items 9-19-11 per attached		\$6,000.00
NOTE	CAB AND BODY ARE NOT NFPA COMPLIANT		
	Total of above		\$79,499.00

We are pleased to submit the above quotation for your consideration. Should you place an order, be assured it will receive our prompt attention. This quotation is valid for 30 days. Thereafter it is subject to change without notice.

ACCEPTED		DATE
Jesse Faulkner		

THANK YOU!

MOYERS CORNERS FIRE COMPANY

UTILITY UNIT

The following answers to questions or additions are submitted for your review:

1. Front seats – The front seats are a 40/20/40 which is buckets each side for driver/officer and a 20% seat in middle which will be pulled out for the console installation. Therefore it is a bucket seating design in front portion of cab.
2. Upgrade the Kussmaul battery condition to accept ancillary items such as hand lights, radios etc. off of the charge side, not battery direct. We will upgrade from the Kussmaul 1000 proposed to the Kussmaul 091-20/20 unit to allow for a 20-amp auxiliary feed for those items. The added cost for this upgrade is **\$390.00**
3. Installation of the mounting for the MTD computer system in cab. Tyler will furnish a Havis tunnel mounting stand and H.D. swivel model PKG-PSM-242 for the computer and a dedicated power source and install for the computer. Added cost for this upgrade is **\$1,132.00**
4. The LED lighting for the compartments including the large rear compartment at rear of body will be round LED lights. The rear compartment will have two (2) round LED lights added to the ceiling for proper lighting the rear compartment. Lights will be provided with the body from Knapheide. The body as purchased from Ford dealer has an LED light addition offered as an option and that will be used for the compartments. The total for adding the LED in side compartments and rear compartment will be **\$275.00**
5. Check loading of overpack drum through rear – The rear door opening is 50" high x 49" wide. A 55 gallon drum is 23" across x 35" high and fits inside an over pack drum which is 38" high. I would have to say yes it will fit.
6. Prewire two 12-volt powered customer furnished hand lights into two separate compartments, Added cost for this upgrade is **\$250.00**
7. Prewire two power strips in two separate compartments off of shoreline, 110 volt circuits as directed. Added cost for this upgrade is **\$300.00**

8. Add for tool mounting – One PAC Irons-Lok in compartment. Added cost for this upgrade is **\$288.00**
9. Mount two SCBA brackets inside compartments for customer furnished SCBA units, 60-minute cylinders. Added cost for this upgrade is **\$235.00**
10. Add tow hitch receiver and 7-pin connection at rear (Ford direct). This is already included with the unit proposed.
11. The model for the Knapheide body is KUV108M2094J steel body, with a body height of 78", body width of 89", compartment depth of 20", clear (rear) door width 44.5" x 50" high, interior clear 61.1" high.
12. Add Turtle Tile to all compartment floors including the rear cargo compartment. Tile to be yellow and rear cargo to have angled yellow edging. Added cost for this upgrade is **\$925.00**
13. Add stainless steel wheel covers and liners for front and rear axle. Added cost for this upgrade is **\$688.00**

Aluminum wheels order with chassis (outside rear only aluminum– inside painted steel) Added cost for this upgrade is **\$525.00**
14. Add Plymovent tip for exhaust system. This will come direct from Plymovent and be installed by Tyler. Added cost for this upgrade is **\$1,025.00**
15. Add a six (6) inch gold scotchlite stripe each side of body with a slight 45-degree angle up on front compartment (similar to Utility 4). Added cost for this upgrade is **\$655.00**
16. Add lettering on side of upper body to read "SPECIAL HAZARDS" in 8.0" high gold scotchlite letters with black outline. Included with costing in the \$1500.00 allotted for lettering.
17. Add fire department furnished seal on each front cab door. Included with costing in the \$1500.00 allotted for lettering.

Total of above items using the aluminum wheels is \$6,000.00 additional

Don's Ford Inc

Presents...



The 2012 Ford F-350 Chassis XL
4x4 SD Crew Cab 176" WB DRW



Prepared For:
Prepared By: Ted Madore
Prepared On: August 03, 2011

Prepared For:
Moyers Corners Fire Department
Clay, New York

Prepared By:
Ted Madore
Don's Ford Inc
5712 Horatio St.
Utica, New York, 135002
Phone: 315-624-3698
Fax: 315-724-4248



Vehicle Profile

2012 Ford F-350 Chassis

4x4 SD Crew Cab 176" WB DRW XL (W3H)

Powertrain

6.2L V-8 SOHC SMPI 16 valve flexible recommended fuel engine with variable valve control * 155 amp HD alternator * 650 amp 72 amp hours (Ah) HD battery with run down protection * Engine block heater, transmission oil cooler * 6-speed electronic SelectShift automatic transmission with overdrive, lock-up, driver selection * Part-time four-wheel drive with electronic transfer case shift, auto locking hubs * Driveline traction control * 3.73 axle ratio * Stainless steel exhaust

Steering and Suspension

Hydraulic power-assist re-circulating ball steering * 4-wheel disc brakes with front and rear vented discs * Firm ride suspension * Mono-beam non-independent front suspension * Front anti-roll bar * Front coil springs * HD front shocks * Rigid rear axle * Rear leaf suspension * Rear anti-roll bar * HD rear leaf springs * HD rear shocks * Front and rear 17.0" x 6.50" argent steel wheels * LT245/75SR17.0 BSW AS front and rear tires

Safety

4-wheel anti-lock braking system * Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st and 2nd row overhead airbags * Front height adjustable seatbelts

Comfort and Convenience

Air conditioning, underseat ducts * AM/FM stereo, clock, seek-scan, 2 speakers, fixed antenna * 2 12V DC power outlets * Analog instrumentation display includes tachometer, oil pressure gauge, engine temperature gauge, transmission fluid temp gauge, engine hour meter, exterior temp, systems monitor, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, door ajar, brake fluid * Steering wheel with tilt and telescopic adjustment * Manual front and rear windows with light tint * Variable intermittent front windshield wipers * Passenger side vanity mirror * Day-night rearview mirror * Interior lights include dome light with fade, front and rear reading lights * Full overhead console with storage, glove box, front cupholder, instrument panel bin * Upfitter switches

Seating and Interior

Seating capacity of 6 * 40-20-40 split-bench front seat with adjustable head restraints, center armrest with storage * 4-way adjustable driver seat includes lumbar support * 4-way adjustable passenger seat * 60-40 folding rear split-bench seat with FlexFold flip forward cushion/seatback, 3 adjustable rear head restraints * Vinyl faced front seats with vinyl back material * Vinyl faced rear seats with carpet back material * Full cloth headliner, full vinyl/rubber floor covering, plastic/rubber gear shift knob, chrome interior accents

Exterior Features

Side impact beams, front license plate bracket, fully galvanized steel body material, side steps * Black side window moldings, black front windshield molding * Black door handles * Black grille * 4 doors * Trailer harness, brake controller * Driver and passenger manual black folding manual extendable trailer outside mirrors * Front black bumper with front tow hooks * Aero-composite halogen headlamps * Additional exterior lights include cab clearance

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208565 7/14/2011

Exterior Features (Continued)
 lights, underhood light * Clearcoat monotone paint

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles

Dimensions and Capacities

Output	316 hp @ 4,179 rpm	Torque	397 lb.-ft. @ 4,179 rpm
1st gear ratio	3.974	2nd gear ratio	2.318
3rd gear ratio	1.516	4th gear ratio	1.149
5th gear ratio	0.858	6th gear ratio	0.674
Reverse gear ratio	3.128	Curb weight	7,100 lbs.
GVWR	13,300 lbs.	Front GAWR	5,200 lbs.
Rear GAWR Weight	9,750 lbs.	Payload	6,251 lbs.
Front curb weight	4,138 lbs.	Rear curb weight	2,962 lbs.
Front axle capacity	6,000 lbs.	Rear axle capacity	9,750 lbs.
Front spring rating	5,200 lbs.	Rear spring rating	9,750 lbs.
Front tire/wheel capacity	5,820 lbs.	Rear tire/wheel capacity	11,640 lbs.
Towing capacity	11,300 lbs.	5th-wheel towing capacity	11,300 lbs.
Front legroom	41.1 "	Rear legroom	42.1 "
Front headroom	40.7 "	Rear headroom	40.8 "
Front hiproom	67.6 "	Rear hiproom	67.6 "
Front shoulder room	68.0 "	Rear shoulder room	68.0 "
Passenger area volume	133.5 cu.ft.	Length	261.9 "
Body width	92.2 "	Body height	80.8 "
Wheelbase	176.0 "	Cab to axle	60.0 "
Axle to end of frame	47.6 "	Front tread	68.3 "
Rear tread	71.0 "	Turning radius	28.8 "
Fuel tank	40.0 gal.		

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Prepared For:
Moyers Corners Fire Department
Clay, New York

Prepared by:
Ted Madore
Don's Ford Inc
5712 Horatio St.
Utica, New York, 135002
Phone: 315-624-3698
Fax: 315-724-4248



Standard Equipment

2012 Ford F-350 Chassis

4x4 SD Crew Cab 176" WB DRW XL (W3H)

Powertrain

6.2L V-8 SOHC SMPI 16 valve flexible recommended fuel engine with variable valve control * 155 amp HD alternator * 650 amp 72 amp hours (Ah) HD battery with run down protection * Transmission oil cooler * 6-speed electronic SelectShift automatic transmission with overdrive, lock-up, driver selection * Part-time four-wheel drive with manual transfer case shift, manual locking hubs * Driveline traction control * 3.73 axle ratio * Stainless steel exhaust

Steering and Suspension

Hydraulic power-assist re-circulating ball steering * 4-wheel disc brakes with front and rear vented discs * Firm ride suspension * Mono-beam non-independent front suspension * Front anti-roll bar * Front coil springs * HD front shocks * Rigid rear axle * Rear leaf suspension * Rear anti-roll bar * HD rear leaf springs * HD rear shocks * Front and rear 17.0" x 6.50" argon steel wheels * LT245/75SR17.0 BSW AS front and rear tires

Safety

4-wheel anti-lock braking system * Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st and 2nd row overhead airbags * Front height adjustable seatbelts

Comfort and Convenience

Air conditioning, underseat ducts * AM/FM stereo, clock, seek-scan, 2 speakers, fixed antenna * 2 12V DC power outlets * Analog instrumentation display includes tachometer, oil pressure gauge, engine temperature gauge, transmission fluid temp gauge, engine hour meter, exterior temp, systems monitor, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, door ajar, brake fluid * Steering wheel with tilt and telescopic adjustment * Manual front and rear windows with light tint * Variable intermittent front windshield wipers * Passenger side vanity mirror * Day-night rearview mirror * Interior lights include dome light with fade, front and rear reading lights * Full overhead console with storage, glove box, front cupholder, instrument panel bin * Upfitter switches

Seating and Interior

Seating capacity of 6 * 40-20-40 split-bench front seat with adjustable head restraints, center armrest with storage * 4-way adjustable driver seat includes lumbar support * 4-way adjustable passenger seat * 60-40 folding rear split-bench seat with FlexFold flip forward cushion/seatback, 3 adjustable rear head restraints * Vinyl faced front seats with vinyl back material * Vinyl faced rear seats with carpet back material * Full cloth headliner, full vinyl/rubber floor covering, plastic/rubber gear shift knob, chrome interior accents

Exterior Features

Side impact beams, front license plate bracket, fully galvanized steel body material * Black side window moldings, black front windshield molding * Black door handles * Black grille * 4 doors * Trailer harness * Driver and passenger manual black folding manual extendable trailer outside mirrors * Front black bumper with front tow hooks * Aero-composite halogen headlamps * Additional exterior lights include cab clearance lights, underhood light * Clearcoat monotone paint

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Printed on August 03, 2011 at 16:31

Price Level: 215

QuoteID: <None>

Page 4

Exterior Features (Continued)

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles

Dimensions and Capacities

Output	316 hp @ 4,179 rpm	Torque	397 lb.-ft. @ 4,179 rpm
1st gear ratio	3.974	2nd gear ratio	2.318
3rd gear ratio	1.516	4th gear ratio	1.149
5th gear ratio	0.858	6th gear ratio	0.674
Reverse gear ratio	3.128	Curb weight	7,049 lbs.
GVWR	13,300 lbs.	Front GAWR Weight	5,200 lbs.
Rear GAWR Weight	9,750 lbs.	Payload	6,251 lbs.
Front curb weight	4,106 lbs.	Rear curb weight	2,943 lbs.
Front axle capacity	6,000 lbs.	Rear axle capacity	9,750 lbs.
Front spring rating	5,200 lbs.	Rear spring rating	9,750 lbs.
Front tire/wheel capacity	5,820 lbs.	Rear tire/wheel capacity	11,640 lbs.
Towing capacity	11,300 lbs.	5th-wheel towing capacity	11,300 lbs.
Front legroom	41.1 "	Rear legroom	42.1 "
Front headroom	40.7 "	Rear headroom	40.8 "
Front hiproom	67.6 "	Rear hiproom	67.6 "
Front shoulder room	68.0 "	Rear shoulder room	68.0 "
Passenger area volume	133.5 cu.ft.	Length	261.9 "
Body width	92.2 "	Body height	80.8 "
Wheelbase	176.0 "	Cab to axle	60.0 "
Axle to end of frame	47.6 "	Front tread	68.3 "
Rear tread	71.0 "	Turning radius	28.8 '
Fuel tank	40.0 gal.		

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Prepared For:
 Moyers Corners Fire Department
 Clay, New York

Prepared By:
 Ted Madore
 Don's Ford Inc
 5712 Horatio St.
 Utica, New York, 135002
 Phone: 315-624-3698
 Fax: 315-724-4248



Selected Options

2012 Ford F-350 Chassis

4x4 SD Crew Cab 176" WB DRW XL (W3H)

Vehicle Snapshot	
Engine:	6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel)
Transmission:	TorqShift 6-Speed Automatic w/OD
Rear Axle Ratio:	3.73
GVWR:	13,300 lb Payload Package

Code	Description	Class	MSRP	Invoice
W3H	Base Vehicle Price (W3H)	STD	35,510.00	32,989.00
Packages				
640A	Order Code 640A <i>(996) Engine: 6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel) : E-85. Includes engine idle meter.; (44P) Transmission: TorqShift 6-Speed Automatic w/OD : Includes SelectShift, range select and tow/haul feature.; (X37) 3.73 Axle Ratio; (STDGV) GVWR: 13,300 lb Payload Package; (TBK) Tires: LT245/75R17E BSW AS (6); (64K) Wheels: 17" Argent Painted Steel (6) : Hub covers and center ornaments not included.; (A) HD Vinyl 40/20/40 Split Bench Seat : Includes center armrest, cupholder and storage.; (587) Radio: AM/FM Stereo w/Digital Clock : Includes 2 speakers.</i>	OPT	N/C	N/C
Emissions				
425	50 State Emissions	OPT	N/C	N/C
Powertrain				
996	Engine: 6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel) <i>E-85. Includes engine idle meter. Torque: 397 ft.lbs. @ 4179 rpm.</i>	INC	Included	Included
44P	Transmission: TorqShift 6-Speed Automatic w/OD <i>Includes SelectShift, range select and tow/haul feature.</i>	INC	Included	Included
X37	3.73 Axle Ratio	INC	Included	Included
STDGV	GVWR: 13,300 lb Payload Package	INC	Included	Included

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208558 7/14/2011

Printed on August 03, 2011 at 16:31

Price Level: 215

QuoteID: <None>

Page 6

Selected Options Continued

Prepared For:
 Prepared By: Ted Madore.
 Dealership: Don's Ford Inc

Code	Description	Class	MSRP	Invoice
Wheels & Tires				
TBK	Tires: LT245/75Rx17E BSW AS (6)	INC	Included	Included
64K	Wheels: 17" Argent Painted Steel (6) <i>Hub covers and center ornaments not included.</i>	INC	Included	Included
Seats & Seat Trim				
A	HD Vinyl 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder and storage.</i>	INC	Included	Included
Other Options				
PAINT	Monotone Paint Application	STD	N/C	N/C
176WB	176" Wheelbase/60" Cab to Axle	STD	N/C	N/C
213	Electronic-Shift-On-The-Fly <i>Includes manual locking hubs and auto rotary control on instrument panel.</i>	OPT	185.00	154.00
41H	Engine Block Heater (Regional) <i>Standard in Alaska, Colorado, Iowa, Idaho, Maine, Michigan, Minnesota, Montana, North Dakota, New Hampshire, New York, South Dakota, Vermont, Wisconsin and Wyoming.</i>	OPT	N/C	N/C
52B	Trailer Brake Controller <i>Verified to be compatible with electronic actuated drum brakes only.</i>	OPT	230.00	191.00
18B	6" Angular Black Molded in Color Running Board	OPT	370.00	307.00
587	Radio: AM/FM Stereo w/Digital Clock <i>Includes 2 speakers.</i>	INC	Included	Included
Interior Colors For : Primary w/XL (super, crew)				
AS	Steel	OPT	N/C	N/C
Primary Colors For : Primary w/XL (super, crew)				
F1	Vermillion Red	OPT	N/C	N/C
Accessories and Aftermarket Options				
kuv	KUV ENCLOSED BODY FOR 60" CA TRUCK		\$12,595.00	\$12,595.00
Vehicle Subtotal			\$48,890.00	\$46,236.00
Fuel Charge			\$0.00	\$141.19
Destination			\$995.00	\$995.00
Vehicle Subtotal (including Destination)			\$49,885.00	\$47,372.19

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Prepared For:
Moyers Corners Fire Department
Clay, New York

Prepared By:
Ted Madore
Don's Ford Inc
5712 Horatio St.
Utica, New York, 135002
Phone: 315-624-3698
Fax: 315-724-4248



Quotation

2012 Ford F-350 Chassis

4x4 SD Crew Cab 176" WB DRW XL (W3H)

Vehicle Snapshot
Engine: 6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel)
Transmission: TorqShift 6-Speed Automatic w/OD
Rear Axle Ratio: 3.73
GVWR: 13,300 lb Payload Package

Description	MSRP
Vehicle Price (excluding option discounts)	\$48,890.00
Vehicle Subtotal	\$48,890.00
Option Credits	0.00
Other (Discount)Margin	(9,143.00)
Incentives	0.00
Total Other Items	(9,143.00)
Net Selling Price	\$39,747.00
Destination	995.00
Total Quote	\$40,742.00
TOTAL	\$40,742.00

Customer Signature

Acceptance Date

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Prepared For:
 Moyers Corners Fire Department
 Clay, New York

Prepared By:
 Ted Madore
 Don's Ford Inc
 5712 Horatio St.
 Utica, New York, 135002
 Phone: 315-624-3698
 Fax: 315-724-4248



Dimensions & Capacities

2012 Ford F-350 Chassis

4x4 SD Crew Cab 176" WB DRW XL (W3H)

Description	Value
Dimensions and Capacities	
Output	316 hp @ 4,179 rpm
Torque	397 lb.-ft. @ 4,179 rpm
1st gear ratio	3.974
2nd gear ratio	2.318
3rd gear ratio	1.516
4th gear ratio	1.149
5th gear ratio	0.858
6th gear ratio	0.674
Reverse gear ratio	3.128
Curb weight	7,100 lbs.
GVWR	13,300 lbs.
Front GAWR	5,200 lbs.
Rear GAWR Weight	9,750 lbs.
Payload	6,251 lbs.
Front curb weight	4,138 lbs.
Rear curb weight	2,962 lbs.
Front axle capacity	6,000 lbs.
Rear axle capacity	9,750 lbs.
Front spring rating	5,200 lbs.
Rear spring rating	9,750 lbs.
Front tire/wheel capacity	5,820 lbs.
Rear tire/wheel capacity	11,640 lbs.
Towing capacity	11,300 lbs.
5th-wheel towing capacity	11,300 lbs.
Front legroom	41.1 "
Rear legroom	42.1 "
Front headroom	40.7 "
Rear headroom	40.8 "
Front hiproom	67.6 "
Rear hiproom	67.6 "
Front shoulder room	68.0 "
Rear shoulder room	68.0 "
Passenger area volume	133.5 cu.ft.
Length	261.9 "
Body width	92.2 "

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Dimensions & Capacities Continued

Prepared For:

Prepared By:

Dealership:

Ted Madore

Don's Ford Inc

Description	Value
Dimensions and Capacities	
Body height	80.8 "
Wheelbase	176.0 "
Cab to axle	60.0 "
Axle to end of frame	47.6 "
Front tread	68.3 "
Rear tread	71.0 "
Turning radius	28.8 '
Fuel tank	40.0 gal.

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special focal pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Printed on August 03, 2011 at 16:31

Price Level: 215

QuoteID: <None>

Page 10

Prepared For:
Moyers Corners Fire Department
Clay, New York

Prepared By:
Ted Madore
Don's Ford Inc
5712 Horatio St.
Utica, New York, 135002
Phone: 315-624-3698
Fax: 315-724-4248



Warranty

2012 Ford F-350 Chassis

4x4 SD Crew Cab 176" WB DRW XL (W3H)

Description	Months/Distance
Basic	36 month/36,000 miles
Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage
Roadside Assistance	60 month/60,000 miles

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05208566 7/14/2011

Printed on August 03, 2011 at 16:31

Price Level: 215

QuoteID: <None>

Page 11

2012 Ford F-350 Chassis 4x4 SD Crew Cab 176" WB DRW XL (W3H)

Engine: 6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel)
 Transmission: TorqShift 6-Speed Automatic w/OD

Exterior (0 P) Vermillion Red
 Interior (0 I) Steel



Standard Equipment

Items Featured Below are included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right


- 6.2L V-8 SOHC w/SMPI 316hp
- 6 speed automatic trans w/OD
- 4-wheel ABS
- Traction control
- LT245/75R17E BSW AS S-rated tires
- Battery with run down protection
- Firm suspension
- Air conditioning
- AM/FM stereo
- Variable intermittent wipers
- 17" x 6.5" wheels
- Dual front airbags
- Driver & front passenger seat mounted side airbags
- Tachometer
- Underseat ducts
- 261.9" overall length
- Reclining front 40-20-40 split-bench seats
- 60-40 folding rear split-bench seat
- Vinyl seats
- 13,300lbs. GVWR
- 5,200lbs. front GAWR
- 9,750lbs. rear GAWR
- 6,000lbs. front axle capacity
- 9,750lbs. rear axle capacity
- 5,200lbs. front spring rating
- 9,750lbs. rear spring rating
- 8.70cu.in. frame section modulus
- 36,000 frame yield strength (psi)
- 176.0" wheelbase
- 60.0" cab to axle
- 47.6" axle to end of frame

STANDARD VEHICLE PRICE

\$35,510.00

OPTIONAL EQUIPMENT

Order Code 640A	N/C
50 State Emissions	N/C
Engine: 6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel)	INC
Transmission: TorqShift 6-Speed Automatic w/OD	INC
3.73 Axle Ratio	INC
GVWR: 13,300 lb Payload Package	INC
Tires: LT245/75Rx17E BSW AS (6)	INC
Wheels: 17" Argent Painted Steel (6)	INC
HD Vinyl 40/20/40 Split Bench Seat	INC
176" Wheelbase/60" Cab to Axle	INC
Electronic-Shift-On-The-Fly	STD
Engine Block Heater (Regional)	\$185.00
Trailer Brake Controller	N/C
6" Angular Black Molded in Color Running Board	\$230.00
Radio: AM/FM Stereo w/Digital Clock	\$370.00
Interior: Steel	INC
Primary: Vermillion Red	N/C
	N/C



CITY MPG
N/A

HIGHWAY MPG
N/A

Accessories and Incentives \$12,595.00

SUBTOTAL \$48,890.00

Destination \$995.00

TOTAL \$49,885.00

Emergency lighting

One (1) 56" LED Whelen Justice lightbar to be mounted on roof of the cab.

4 x Red Super-LED Corners

2 x Red Super-LED front mounted

2 x Red Super-LED rear mounted

Two (2) Whelen TIR6 model 500 LED, red with red lens will be mounted on front Ford grill.

Two (2) Whelen TIR6 model 500 LED, one (1) each side, red with red lens will be mounted each side of the cab front fenders.

Two (2) Whelen TIR6 model 500 LED, one (1) each side, red with red lens will be mounted each side of the body, centrally located on rear wheel well.

Two (2) Whelen TIR6 model 500 LED, two (2) red with red lens will be mounted in the rear lower section of the body skirt.

Four (4) Whelen 900 series LED warning lights, two (2) red will be mounted at upper rear and two (2) will be mounted at upper rear side of body.

Siren & Speaker

One (1) Whelen model 295SLSA6, 100 watts electronic siren amplifier with PA and Mic provided and installed.

One (1) Whelen SA315P 100 watt speaker, to be provided and mounted in the front bumper.

Battery Charger

A Kussmaul Autocharge 1000, model 091-56-12 battery charger with internal battery saver will be provided. A bar graph display indicating the state of charge will be included.

The battery saver circuit will be capable of supplying up to three (3) amps for external loads such as handlight or auxiliary radio batteries.

The battery charger will be wired to the AC shoreline inlet through an AC receptacle adjacent to this battery charger. Battery charger will be located in the front left body compartment, mounted upper left corner.

The battery charger indicator will be located on the driver's side as directed by purchaser.

Shoreline

There will be one (1) shoreline receptacle provided to operate the 120-volt circuits on the truck without the use of the generator.

The shoreline receptacle (s) will be provided with a NEMA 5-15, 120 volt, 15 amp, straight blade plug and gray cast cover.

The shoreline will be connected to on board charger.

A mating connector body will also be supplied with the loose equipment.

The shoreline receptacle will be located on the driver side of the unit as directed by purchaser.

Inside Doors Reflective

All driving and crew compartment doors will have at least 96 in2 of reflective material affixed to the inside of each door.

Chevron – Rear of Body

The rear of body and entrance doors of the utility body will be covered with a 6.0" wide chevron in an inverted "Vee" design using Scotchlite 3-M reflective grade red/yellow colors. The exact colors to be determined from samples at a later date.

Lettering

We have included \$1,500.00 for lettering for the unit as we do not know exact amount or location of desired lettering. Any additional cost will be billed to purchaser once lettering is determined.

If the lettering is not required by Tyler delete the \$1,500.00 for cost.